

8. REFERENCES

- *ABMS. 1994. Non-ferrous metal data [for 1993]. American Bureau of Metal Statistics, Inc. Secaucus, NJ.
- *ACGIH. 1996. 1996 TLVs and BEIs: Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- *Adams JF, Kissel DE. 1989. Zinc copper and nickel availabilities as determined by soil solution and DTPA extraction of a sludge-amended soil. *Commun Soil Sci Plant Anal* 20: 139-158.
- *Ademec JB, Kihlgren TE. 1967. Nickel and nickel alloys. In: Standen A, ed. *Kirk-Othmer encyclopedia of chemical technology*, vol. 13, 2nd ed. New York, NY: Interscience Publishers, 735-753.
- *Adkins B Jr, Richards JH, Gardner DE. 1979. Enhancement of experimental respiratory infection following nickel inhalation. *Environ Res* 20:33-42.
- *Alberici TM, Sopper WE, Storm GL, et al. 1989. Trace metals in soil vegetation and voles from mine land treated with sewage sludge. *Journal of Environmental Quality* 18: 115- 119.
- *Alvarez C, Blade C, Cartana J. 1993. α -Adrenergic blockade prevents hyperglycemia and hepatic glutathione depletion in nickel-injected rats. *Toxicol Appl Pharm* 121 :112-117.
- *Amacher DE, Paillet SC. 1980. Induction of trifluorothymidine resistant mutants by metal ions in L5178YTK \pm cells. *Mutat Res* 78:279-288.
- *Ambrose AM, Larson PS, Borzelleca JF, et al. 1976. Long term toxicologic assessment of nickel in rats and dogs. *J Food Sci Technol* 13:181-187.
- *American Biogenics Corporation. 1988. Ninety day gavage study in albino rats using nickel. Final report submitted to U.S. Environmental Protection Agency, Office of Solid Waste. Submitted by Research Triangle Institute and American Biogenics Corporation.
- *Andersen O. 1983. Effects of coal combustion products and metal compounds on sister chromatid exchange (SCE) in a macrophage cell line. *Environ Health Perspect* 47:239-253.
- *Andersen I, Svenes KB. 1989. Determination of nickel in lung specimens of thirty-nine autopsied nickel workers. *Int Arch Occup Environ Health* 61:289-295.

8. REFERENCES

- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives: Refinement, reduction, replacement. New York, NY: Marcel Dekker, Inc. 9-25.
- *Anderson S. 1995. Nickel: A year of contradiction and transition. Engineering and Mining Journal, 196(3):63-67.
- *Anderson PR, Christensen TH. 1988. Distribution coefficients of Cd, Co, and Zn in soils. J Soil Sci 35:15-22.
- *Angerer J, Lehnert G. 1990. Occupational chronic exposure to metals. II: Nickel exposure of stainless steel welders--biological monitoring. Int Arch Occup Environ Health 62:7-10.
- *Ankley GT, Phipps GL, Leonard EN, et al. 1991. Acid-volatile sulfide as a factor mediating cadmium and nickel bioavailability in contaminated sediments. Environmental Toxicology and Chemistry 10:1299-1307.
- *Antonsen DH. 1981. Nickel compounds. In: Grayson M, Eckroth D, eds. Kirk-Othmer encyclopedia of chemical technology, vol. 15, 3rd ed. New York, NY: John Wiley and Sons, 801-819.
- *Antonsen DH, Springer DB. 1967. Nickel compounds. In: Standen A, ed. Kirk-Othmer encyclopedia of chemical technology, vol. 13, 2nd ed. New York, NY: Interscience Publishers, 753-765.
- APHA. 1992. Standard Methods for the Examination of Water and Wastewater. 18th ed. Greenberg AE, Clesceri LS, Eaton AD, eds. Washington, DC: American Public Health Association, American Water Works Association, Water Environment Federation.
- *Arlauskas A, Baker RS, Bonin AM, et al. 1985. Mutagenicity of metal ions in bacteria. Environ Res 36:379-388.
- *Arrouijal FZ, Marzin D, Hildebrand HF, et al. 1992. Differences in genotoxic activity of α -Ni₃S₂ on human lymphocytes from nickel-hypersensitized and nickel-unsensitized donors. Mutagenesis 7(3):183-187.
- *ATSDR. 1989. Agency for Toxic Substances and Disease Registry. Decision guideline for identifying substance-specific data needs related to toxicological profiles. Part V. Federal Register 54:37619-37633.
- *Baker DE, Amacher MC. 1982. Nickel, copper, zinc, and cadmium. In: Methods of soil analysis, Part 2. Chemical and microbiological properties - Agronomy Monograph no.9, 2nd ed. ASA-SSSA, Madison. 3323-336.
- *Baranowska-Dutkiewicz B, Rozanska R, Dutkiewicz T. 1992. Occupational and environmental exposure to nickel in Poland. Pol J Occup Med Env Health 5(4):335-343.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessment. Regul Toxicol Pharmacol 8:471-486.

8. REFERENCES

- *Barrie LA, Hoff RM. 1985. Five years of air chemistry observations in the Canadian arctic, Atmos Environ 19:1995-2010.
- *Barrie LA, Lindberg SE, Chan WH, et al. 1987. On the concentration of trace metals in precipitation. Atmos Environ 21:1133-1135.
- *Bavazzano P, Bolognesi R, Cassinelli C, et al. 1994. Skin contamination and low airborne nickel exposure of electroplaters. Sci Total Environ 155:83-86.
- *Bencko V, Wagner V, Wagnerova M, et al. 1983. Immuno-biochemical findings in groups of individuals occupationally and nonoccupationally exposed to emissions containing nickel and cobalt. J Hyg Epidemiol Microbial Immunol 27:387-394.
- *Bencko V, Wagner V, Wagnerova M, et al. 1986. Human exposure to nickel and cobalt: Biological monitoring and immunobiological response. Environ Res 40:399-410.
- *Bennett BG. 1984. Environmental nickel pathways in man. In: Sunderman FW Jr, ed. Nickel in the human environment. Proceedings of a joint symposium. IARC scientific publication no. 53. International Agency for Research on Cancer, Lyon, France, March 8-11, 1983, 487-495.
- *Benson JM, Barr EB, Bechtold WE, et al. 1994. Fate of inhaled nickel oxide and nickel subsulfide in F344/N rats. Inhalation Toxicology 6: 167- 183.
- *Benson JM, Burt DG, Carpenter RL, et al. 1988. Comparative inhalation toxicity of nickel sulfate to F344/N rats and B6C3F1 mice exposed for twelve days. Fundam Appl Toxicol 10:164-178.
- *Benson JM, Burt DG, Cheng YS, et al. 1989. Biochemical responses of rat and mouse lung to inhaled nickel compounds. Toxicology 57:255-266.
- *Benson JM, Carpenter RL, Hahn FF, et al. 1987. Comparative inhalation toxicity of nickel subsulfide to F344/N rats and B6C3F1 mice exposed for twelve days. Fundam Appl Toxicol 9:251-265.
- *Benson JM, Chang I-Y, Cheng YS. 1995a. Particle clearance and histopathology in lungs of F344/N rats and B6C3F1 mice inhaling nickel oxide or nickel sulfate. Fund Appl Toxicol 28:232-244.
- *Benson JM, Cheng Y-S, Eidson AF, et al. 1995b. Pulmonary toxicity of nickel subsulfide in F344/N rats exposed for 1-22 days. Toxicology 103:9-22.
- Berghem L, Hansson M, Lundborg M, et al. 1987. Fibronectin concentrations in lung lavage fluid after inhalation exposure to low levels of metals. Environ Res 43:79-85.
- *Berman E, Rehnberg B. 1983. Fetotoxic effects of nickel in drinking water in mice. EPA 600/1-83-007. NTIS PB83-225383.
- *Bemacki EJ, Parsons GE, Sunderman FW Jr. 1978. Investigation of exposure to nickel and lung cancer mortality. Ann Clin Lab Sci 8:190-194.

8. REFERENCES

- *Bemacki EJ, Zugowicz E, Sunderman FW Jr. 1980. Fluctuations of nickel concentrations in urine of electroplating workers. *Ann Clin Lab Sci* 10:33-39.
- *Biedermann KA, Landolph JR. 1987. Induction of anchorage independence in human diploid foreskin fibroblasts by carcinogenic metal salts. *Cancer Res* 47:3815-3823.
- *Biggart NW, Costa M. 1986. Assessment of the uptake and mutagenicity of nickel chloride in *Salmonella* tester strains. *Mutat Res* 175:209-215.
- *Biggart NW, Murphy E Jr. 1988. Analysis of metal-induced mutations altering the expression or structure of a retroviral gene in a mammalian cell line. *Mutat Res* 198:115-130.
- *Biggart NW, Gallick GE, Murphy EC Jr. 1987. Nickel-induced heritable alterations in retroviral transforming gene expression. *J Virol* 61:2378-2388.
- *Bingham E, Barkley W, Zerwas M, et al. 1972. Responses of alveolar macrophages to metals. I. Inhalation of lead and nickel. *Arch Environ Health* 25:406-414.
- *Birge WJ, Black JA. 1980. Aquatic toxicology of nickel. In: Nriagu JO, ed. *Nickel in the environment*. New York, NY: John Wiley and Sons, Inc., 354-355.
- *Borg K, Tjalve H. 1989. Uptake of $^{63}\text{Ni}_2^+$ in the central and peripheral nervous system of mice after oral administration: Effects of treatment with halogenated 8-hydroxyquinolines. *Toxicology* 54:59-68.
- *Bowlby JN, Gunn JM, Liimatainen VA. 1988. Metals in stocked lake trout *Salvelinus-namaycush* in lakes near Sudbury Canada. *Water Air Soil Pollut* 39:217-230.
- *Bowman RS, Essington ME, O'Connor GA. 1981. Soil sorption of nickel: Influence of solution composition. *Soil Science Society of America Journal* 45:860-865.
- *Bayer KW, Horowitz W. 1986. Special considerations in trace element analysis of foods and biological materials. In: O'Neill IK, Schuller P, Fishbein L, eds. *Some metals: As, Be, Cd, Cr, Ni, Pb, Se, Zn*. IARC Scientific Publication No. 71, Lyon, France: International Agency for Research on Cancer, 191-220.
- *Bradley RW, Morris JR. 1986. Heavy metals in fish from a series of metal-contaminated lakes near Sudbury, Ontario. *Water Air Soil Pollut* 27:341-354.
- *Brito G, Diaz C, Galindo L, et al. 1990. Levels of metals in canned meat products: Inter-metallic correlations. *Bull Environ Contam Toxicol* 44:309-316.
- *Bronstein AC, Currance PL. 1988. *Emergency care for hazardous material exposure*. Washington, DC: The CV Mosby Company, 147-148.
- *Brooks RR. 1980. Hyperaccumulation of nickel by terrestrial plants. In: Nriagu JO, ed. *Nickel in the environment*. New York, NY: John Wiley and Sons, 410-413.

8. REFERENCES

- *Brown SS, Nomoto S, Stoeppler M, et al. 1981. IUPAC reference method for analysis of nickel in serum and urine by electrothermal atomic absorption spectrometry. Clin Biochem 14:295-299.
- *Brzezinska-Paudyn A, VanLoon JC, Balicki MR. 1986. Multielement analysis and mercury speciation in atmospheric samples from the Toronto area. Water Air Soil Pollut 27:45-56.
- *Burrows D, Creswell S, Merrett JD. 1981. Nickel, hands, and hip prosthesis. Br J Dermatol 105:437-444.
- *Cahill TA. 1989. Monitoring of atmospheric particles and ozone in Sequoia National Park: 1985-1987. California State Air Resources Board, Sacramento, CA. NTIS PB90-157512.
- *Callahan MA, Slimak MW, Gabel NW, et al. 1978. Water-related environmental fate of 129 priority pollutants: Vol. 1. EPA 440/4-79-029a. Washington, DC: Office of Water Planning and Standards, U.S. Environmental Protection Agency, 15-1 to 15-8.
- *Carvalho SMM, Ziemer PL. 1982. Distribution and clearance of $^{63}\text{NiCl}_2$ in the rat: Intratracheal study. Arch Environ Contam Toxicol 11:245-248.
- Cavelier C, Fousseureau J, Gille P, et al. 1988. Nickel allergy: Tolerance to metallic surface-plated samples in nickel-sensitive humans and guinea pigs. Contact Dermatitis 19:358-361.
- *CELDS. 1994. Computer environmental legislative data system database. University of Illinois, Urbana Illinois.
- *CEPA. 1994. Canadian Environmental Protection Act. Priority substances list assessment report: Nickel and its compounds. Government of Canada, Environment Canada, Health Canada, 1-82.
- *Chamberlain PG. 1985. Nickel. Preprint from the Bureau of Mines mineral yearbook. Pittsburgh, PA: Bureau of Mines, U.S. Department of the Interior, 108-109.
- *Chan WH, Tang AJS, Chung DHS, et al. 1986. Concentration and deposition of trace metals in Ontario-1982. Water Air Soil Pollut 29:373-389.
- *Chashschin VP, Artunina GP, Norseth T. 1994. Congenital defects, abortion and other health effects in nickel refinery workers. Sci Total Environ, 148:287-291.
- *Chemoff N, Kavlock RJ. 1982. An *in vivo* teratology screen utilizing pregnant mice. J Toxicol Environ Health 10:541-550.
- *Chin YE, Snow ET, Christie NT. 1994. The stimulatory effect of nickel chloride on DNA replication in human HeLa cells and *Escherichia coli*. Carcinogenesis 15(5):1013-1016.
- *Chovil A, Sutherland RB, Halliday M. 1981. Respiratory cancer in a cohort of nickel sinter plant workers. Br J Ind Med 38:327-333.
- *Christensen OB, Lagesson V. 1981. Nickel concentrations of blood and urine after oral administration. Ann Clin Lab Sci 11:119-125.

8. REFERENCES

- *Christensen OB, Moller H. 1975. External and internal exposure to the antigen in the hand eczema of nickel allergy. *Contact Dermatitis* 1:136-141.
- *Ciccarelli RB, Wetterhahn KE. 1982. Nickel distribution and DNA lesions induced in rat tissues by the carcinogen nickel carbonate. *Cancer Res* 42:3544-3549.
- *Clary JJ. 1975. Nickel chloride-induced metabolic changes in the rat and guinea pig. *Toxicol Appl Pharmacol* 31:55-65.
- *Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- *Cole KL, Engstrom DR, Futyma RP, et al. 1990. Past atmospheric deposition of metals in northern Indiana measured in a peat core from Cowles Bog. *Environmental Science and Technology* 24:543-549.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- *Conway K, Costa M. 1989. Nonrandom chromosomal alterations in nickel-transformed Chinese hamster embryo cells. *Cancer Res* 49:6032-6038.
- Cornell RG. 1984. Mortality patterns around stainless-steel workers. In: Sunderman FW Jr, Aitio A, Berlin A, eds. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer 65-71.
- *Cornell RG, Landis JR. 1984. Mortality patterns among nickel/chromium alloy foundry workers. In: Sunderman FW, Jr, Aitio A, Berlin A, eds. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer 87-93.
- *Costa M. 1989. Perspectives on the mechanism of nickel carcinogenesis gained from models of *in vitro* carcinogenesis. *Environ Health Perspect* 81:73-76.
- *Costa M. 1995. Model for the epigenetic mechanism of action of nongenotoxic carcinogens. *Am J Clin Nutr* 61(suppl):666S-669S.
- *Costa M, Heck JD. 1982. Specific nickel compounds as carcinogens. *Trends Pharmacol Sci* 3:408-410.
- *Costa M, Mollenhauer HH. 1980. Carcinogenic activity of particulate metal compounds is proportional to their cellular uptake. *Science* 209:515-517.
- *Costa M, Heck JD, Robinson SH. 1982. Selective phagocytosis of crystalline metal sulfide particles and DNA strand breaks as a mechanism for the induction of cellular transformation. *Cancer Res* 42:2757-2763.
- *Cotton FA, Wilkinson G. 1980. *Advanced inorganic chemistry*. A comprehensive text. New York, NY: John Wiley and Sons, 783-798.

8. REFERENCES

- *Cox JE, Doll R, Scott WA, et al. 1981. Mortality of nickel workers: Experience of men working with metallic nickel. *Br J Ind Med* 38:235-239.
- *Cragle DL, Hollis DR, Newport TH, et al. 1984. A retrospective cohort study among workers occupationally exposed to metallic nickel powder at the Oak Ridge Gaseous Diffusion Plant. In: Sunderman FW Jr, Aitio A, Berlin A, eds. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer 57-64.
- *CRIS. 1994. Current Research Information System. Beltsville, MD: U.S. Department of Agriculture.
- *Cronin E, DiMichiel AD, Brown SS. 1980. Oral challenge in nickel-sensitive women with hand eczema. In: Brown SS, Sunderman FW Jr, eds. *Nickel Toxicology*. New York, NY: Academic Press, 149-152.
- Curstedt T, Casarett-Bruce M, Camner P. 1984. Changes in glycerophosphatides and their ether analogs in lung lavage of rabbits exposed to nickel dust. *Exp Mol Pathol* 41:26-34.
- Curstedt T, Hafman M, Robertson B, et al. 1983. Rabbit lung after long-term exposure to low nickel dust combustion. I. Effects on phospholipid concentration and surfactant activity. *Environ Res* 30:89-94.
- *Cyr F, Mehra MC, Mallet VN. 1987. Leaching of chemical contaminants from a municipal landfill site. *Bull Environ Contam Toxicol* 38:775-782.
- *Dabeka RW. 1989. Survey of lead, cadmium, cobalt, and nickel in infant formulas and evaporated milks and estimation of dietary intakes of the elements by infants 0-12 months old. *Sci Total Environ* 89:279-289.
- *Daldrup T, Haarhoff K, Szathmary SC. 1983. Toedliche nickel sulfide-intoxikation. *Berichte zur Serichtlichen Medizin*. 41:141-144.
- *Davidson CI. 1980. Dry deposition of nickel from the atmosphere. In: Nriagu JO, ed. *Nickel in the environment*. New York, NY: John Wiley and Sons, 137-149.
- *Deknudt GH, Leonard A. 1982. Mutagenicity tests with nickel salts in the male mouse. *Toxicology* 25:289-292.
- *DeLaune RD, Smith CJ. 1985. Release of nutrients and metals following oxidation of freshwater and saline sediment. *Journal of Environmental Quality* 14: 164-168.
- *Delescluse J, Dinot Y. 1994. Nickel allergy in Europe: The new European legislation. *Dermatology* 189(suppl 2):56-57.
- *Demirjian YA, Westman TR, Joshi AM, et al. 1984. Land treatment of contaminated sludge with wastewater irrigation. *J Water Pollut Control Fed* 56:370-377.

8. REFERENCES

- *DHHS. 1994. Seventh annual report on carcinogens: Summary 1994. Research Triangle Park, NC: U.S. Department of Health and Human Services, The National Institute of Environmental Health Sciences 262-269.
- *Dhir H, Agarwal K, Sharma A, et al. 1991. Modifying role of *Phyllanthus emblica* and ascorbic acid against nickel clastogenicity in mice. *Cancer Lett* 59:9-18.
- *Dieter MP, Jameson CW, Tucker AN, et al. 1988. Evaluation of tissue disposition, myelopoietic, and immunologic responses in mice after long-term exposure to nickel sulfate in the drinking water. *J Toxicol Environ Health* 24:356-372.
- *DiPaolo JA, Casto BC. 1979. Quantitative studies of *in vitro* morphological transformation of Syrian hamster cells by inorganic metal salts. *Cancer Res* 39:3008-1013.
- *DiPietro ES, Phillips DL, Paschal DC, et al. 1989. Determination of trace elements in human hair: Reference intervals for 28 elements in nonoccupationally exposed adults in the US and effects of hair treatments. *Biol Trace Elem Res* 22:83-100.
- *Dolan DM, Warry ND, Rossmann R, et al. 1986. Lake Huron, 1980: Intensive survey summary report. Windsor, Ontario, Canada: Surveillance Work Group, 133.
- *Doll R, Mathews JD, Morgan LG. 1977. Cancers of the lung and nasal sinuses in nickel workers. A reassessment of the period of risk. *Br J Ind Med* 34:102-105.
- *Doll R, Morgan LG, Speiger FE. 1970. Cancers of the lung and nasal sinuses in nickel workers. *Br J Cancer* 24:624-632.
- *Dolovich J, Evans SL, Nieboer E. 1984. Occupational asthma from nickel sensitivity: I. Human serum albumin in the antigenic determinant. *Br J Ind Med* 41:51-55.
- *Donat JR, Lao KA, Bruland KW. 1994. Speciation of dissolved copper and nickel in South San Francisco Bay: A multi-method approach. *Analytica Chimica Acta* 284:547-571.
- *Donskoy E, Donskoy M, Forouhar F, et al. 1986. Hepatic toxicity of nickel chloride in rats. *Ann Clin Lab Sci* 16:108-117.
- Dorn CR, Warner RD, Ahmed W. 1988. Comparison of NiSO₄ and NiCl₂ as sensitizers in the guinea pig. *Int Arch Allergy Appl Immunol* 85:332-336.
- *Dostal LA, Hopfer SM, Lin SM, et al. 1989. Effects of nickel chloride on lactating rats and their suckling pups, and the transfer of nickel through rat milk. *Toxicol Appl Pharmacol* 101:220-231.
- *Dotterud LK, Falk ES. 1994. Metal allergy in north Norwegian schoolchildren and its relationship with ear piercing and atopy. *Contact Dermatitis* 31:308-313.
- *Dressier RL, Storm GL, Tzilkowski WM, et al. 1986. Heavy metals in cottontail rabbits on mined lands treated with sewage sludge. *Journal Environmental Quality* 15:278-281.

8. REFERENCES

- *Duke JM. 1980a. Nickel in rocks and ores. In: Nriagu JO, ed. Nickel in the environment. New York, NY: John Wiley and Sons, Inc., 27-50.
- *Duke JM. 1980b. Production and uses of nickel. In: Nriagu JO, ed. Nickel in the environment. New York, NY: John Wiley and Sons, Inc., 51-65.
- *Dunnick JK, Benson JM, Hobbs CH, et al. 1988. Comparative toxicity of nickel oxide, nickel sulfate, and nickel subsulfide after 12 days of inhalation exposure to F344/N rats and B6C3F1 mice. *Toxicology* 50: 145-156.
- *Dunnick JK, Elwell MR, Benson JM, et al. 1989. Lung toxicity after 13-week inhalation exposure to nickel oxide, nickel subsulfide, or nickel sulfate in F344/N rats and B6C3F1 mice. *Fundam Appl Toxicol* 12:584-594.
- *Dunnick JK, Elwell MR, Radovsky AE, et al. 1995. Comparative carcinogenic effects of nickel subsulfide, nickel oxide, or nickel sulfate chronic exposure in the lung. *Cancer Research* 55:5251-5256.
- Edwards MJ. 1986. Hyperthermia as a teratogen: A review of experimental studies and their clinical significance. *Teratogenesis Carcinog Mutagen* 6:563-582.
- Egedahl RD, Fair M, Homik R. 1993. Mortality among employees at a hydrometallurgical nickel refinery and fertilizer complex in Fort Saskatchewan, Alberta (1954-1984). *Can J Public Health* 84:40-44.
- *Elias Z, Mur JM, Pierre F, et al. 1989. Chromosome aberrations in peripheral blood lymphocytes of welders and characterization of their exposure by biological samples analysis. *J Occup Med* 31:477-483.
- *Emmett EA, Risby TH, Jiang L, et al. 1988. Allergic contact dermatitis to nickel: Bioavailability from consumer products and provocation threshold. *J Am Acad Dermatol* 19(2):314-322.
- *English JC, Parker RDR, Sharma RP, et al. 1981. Toxicokinetics of nickel in rats after intratracheal administration of a soluble and insoluble form. *Am Ind Hyg Assoc J* 42:486-492.
- *Enterline PE, Marsh GM. 1982. Mortality among workers in a nickel refinery and alloy plant in West Virginia. *J Natl Cancer Inst* 68:925-933.
- *EPA. 1980. Ambient water quality criteria document: Nickel. EPA 440/5-80-060 (Errata 1981). Washington, DC: US Environmental Protection Agency.
- *EPA. 1981. Treatability manual: Volume I. EPA-600/2-82-001a. Washington, DC: U.S. Environmental Protection Agency, I.4.II-1 to I.4.II-4.
- *EPA. 1983. Methods for chemical analysis of water and waste. EPA 800/4-79-020. Cincinnati, OH: Environmental Monitoring and Support Laboratory, U.S. Environmental Protection Agency, 249.2-1 to 249.2-2; 249.1-1 to 249.1-2.

8. REFERENCES

- *EPA. 1985a. Estimation of nickel species in ambient air. Report to Pollution Assessment Branch, U.S. Environmental Assessment Agency, U.S. Environmental Protection Agency, Research Triangle Park, NC by Radian Corporation, Research Triangle Park, NC. (EPA Contract No. 68-02-3818).
- *EPA. 1985b. Drinking water criteria document for nickel. EPA 600/x-84-193. Cincinnati, OH: Environmental Criteria and Assessment Office, Environmental Protection Agency. NTIS PB86-117801.
- *EPA. 1986a. Health assessment document for nickel and nickel compounds. EPA 600/8-83-012FF. Cincinnati, OH: Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency.
- EPA. 1986b. Test methods for evaluating solid waste. 3rd ed. Washington, DC: U.S. Environmental Protection Agency, 3050-1 to 3050-6; three-6 to three-7; 6010-1 to 6010-17; 7520-1 to 7520-3.
- *EPA. 1988. Environmental Protection Agency. 40 CFR Parts 400-475. Analysis of clean water act effluent guidelines: Pollutants. Summary of the chemicals regulated by industrial point source category.
- *EPA. 1990a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency, Office of Research and Development. Washington, DC. EPA 600/8-90-066A.
- *EPA. 1990b. Guidelines establishing test procedures for the analysis of pollutants. U.S. Environmental Protection Agency. Federal Register 55(116):24532-24537.
- *EPA. 1991a. Environmental Protection Agency. 40 CFR Part 302.4. Hazardous substances and reportable quantities.
- *EPA. 1991b. Environmental Protection Agency. 40 CFR Part 131. Amendments to the water quality standards regulation. Federal Register. 56:58442.
- *EPA. 1991c. Drinking water quantification of toxicologic effects for nickel. U.S. Environmental Protection Agency. PB92-173426. ECAO-CIN-443.
- *EPA. 1995a. Removal of legally obsolete or redundant rules. Federal Register 60(125):33926-33930.
- *EPA. 1995b. Toxics criteria for those states not complying with Clean Water Act Section 303(c)(2)(B). Federal Register 60:44123.
- *EPA. 1996b. List of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.
- *EPA. 1996a. Drinking water regulations and health advisories. Washington, D.C. U.S. Environmental Protection Agency, Office of Water. EPA 822-R-96-001.
- *Eun HC, Marks R. 1990. Dose-response relationships for topically applied antigens. Br J Dermatol 122:491-499.

8. REFERENCES

- *Evans LJ. 1989. Chemistry of metal retention by soils. *Environmental Science and Technology* 23:1046-1056.
- *Evans EG, Evans GF, Ray DB, et al. 1984. Air quality data for metals 1977 through 1979 from the national air surveillance networks. EPA 600/S4-83-053. Research Triangle Park, NC: Office of Research and Development, Environmental Monitoring Systems Laboratory, U.S. Environmental Protection Agency.
- *Evans JE, Miller ML, Andringa A, et al. 1995. Behavioral, histological, and neurochemical effects of nickel(II) on the rat olfactory system. *Toxicol Appl Pharmacol* 130:209-220.
- *FDA. 1993. Quality standard for foods with no identity standards; bottled water. *Food and Drug Administration. Federal Register* 58:41612-41619.
- *FEDRIP. 1994. Federal Research in Progress. National Technical Information Service, Springfield, VA.
- Finch GL, Fisher GL, Hayes TL. 1987. The pulmonary effects and clearance of intratracheally instilled Ni₃S₂ and TiO₂ in mice. *Environ Res* 42:83-93.
- *Fischer T. 1989. Occupational nickel dermatitis. In: Maibach HI, Menne T, eds. *Nickel and the skin: Immunology and toxicology*. Boca Raton, FL: CRC Press, Inc., 117-132.
- *Fisher GL, Chrisp CE, McNeill DA. 1986. Lifetime effects of intratracheally instilled nickel subsulfide on B6C3F₁ mice. *Environ Res* 40:313-320.
- *Fletcher GG, Rossetto FE, Turnbull JD, et al. 1994. Toxicity, uptake, and mutagenicity of particulate and soluble nickel compounds. *Environ Health Perspect* 102(suppl 3):69-79.
- *Flint GN, Packirisamy S. 1995. Systemic nickel: The contribution made by stainless-steel cooking utensils. *Contact Dermatitis* 32:218-224.
- *Foulkes EC, Blanck S. 1984. The selective action of nickel on tubule function in rabbit kidneys. *Toxicology* 33:245-259.
- *Francis AJ, Dodge CJ. 1990. Anaerobic microbial remobilization of toxic metals coprecipitated with iron oxide. *Environmental Science and Technology* 24:373-378.
- *Frankild S, Andersen KE, Nielsen GD. 1995. Effect of sodium lauryl sulfate (SLS) on in vitro percutaneous penetration of water, hydrocortisone and nickel. *Contact Dermatitis* 32:338-345.
- *Frenkel K, Karkoska J, Cohen B, et al. 1994. Occupational exposures to Cd, Ni, and Cr modulate titers of antioxidantized DNA base autoantibodies. *Environ Health Perspect* 102(suppl 3):221-225.
- *Friedland AJ, Johnson AH, Siccama TG. 1986. Zinc, Cu, Ni and Cd in the forest floor in the northeastern United States. *Water Air Soil Pollut* 29:233-243.
- *FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines, 1990. American Water Works Association, Washington, DC.

8. REFERENCES

- *Fullerton A, Andersen JR, Hoelgaard A, et al. 1986. Permeation of nickel salts through human skin *in vitro*. Contact Dermatitis 15:173-177.
- Galloway WB, Lake JL, Phelps DK, et al. 1983. The mussel watch: Intercomparison of trace level constituent determinations. Environmental Toxicology and Chemistry 2:395-410.
- *Gawkrodger DJ, Cook SW, Fell GS, et al. 1986. Nickel dermatitis: The reaction to oral nickel challenge. Br J Dermatol 115:33-38.
- *Gawkrodger DJ, Healy J, Howe AM. 1995. The prevention of nickel contact dermatitis. A review of the use of binding agents and barrier creams. Contact Dermatitis 32:257-265.
- *Genitse RG, Vriesema R, Dalenberg J, et al. 1982. Effect of sewage sludge on trace element mobility in soils. Journal of Environmental Quality 7:359-364.
- *Ghezzi I, Baldasseroni A, Sesana G, et al. 1989. Behaviour of urinary nickel in low-level occupational exposure. Med Lav 80:244-250.
- *Gilman JPW. 1962. Metal carcinogenesis. II. A study on the carcinogenic activity of cobalt, copper, iron and nickel compounds. Cancer Res 22:159-162.
- *Gitlitz PH, Sunderman FW Jr, Goldblatt PJ. 1975. Aminoaciduria and proteinuria in rats after a single intraperitoneal injection of Ni(II). Toxicol Appl Pharmacol 34:430-440.
- *Gladney ES, Gordon SE, Zoller WH. 1978. Coal combustion: Source of elements in urban air. J Environ Sci Health A13:481-491.
- *Gladney ES, Pet-tin DR, Robinson RD, et al. 1984. Multitechnique determination of elemental concentrations in NBS urban air particulate SRM 1648 and evaluation of its use for quality assurance. Journal of Radioanalytical and Nuclear Chemistry 83:379-386.
- Goldberg M, Goldberg P, Leclerc A, et al. 1987. Epidemiology of respiratory cancers related to nickel mining and refining in New Caledonia (1978-1984). Int J Cancer 15:300-304.
- *Goldberg M, Goldberg P, Leclerc A, et al. 1994. A 10-year incidence survey of respiratory cancer and a case-control study within a cohort of nickel mining and refining workers in New Caledonia. Cancer Causes Control 5: 15-25.
- Goldbold JH, Tompkins EA. 1979. A long-term mortality study of workers occupationally exposed to metallic nickel at the Oak Ridge Gaseous Diffusion Plant. J Occup Med 21:799-806.
- *Goldfrank LR, Weisman RS, Flomenbaum NE, et al. 1990. Goldfrank's toxicologic emergencies, 4th ed. Norwalk, CT: Appleton and Lange, 656-658.
- *Gordon CJ. 1989. Effect of nickel chloride on body temperature and behavioral thermoregulation in the rat. Neurotoxicol Teratol 11:317-320.

8. REFERENCES

- *Gordon T, Amdur MO. 1991. Responses of the respiratory system to toxic agents. In: Amdur MO, Doull J, Klaassen CD, eds. Casarett and Doull's Toxicology. 4th ed. New York, NY: McGraw-Hill, Inc., 383-406.
- *Gordon CJ, Fogelson L, Stead AG. 1989. Temperature regulation following nickel intoxication in the mouse: Effect of ambient temperature. *Comp Biochem Physiol* 92:73-76.
- *Gosselin RE, Smith RP, Hodge HC. 1984. Clinical toxicology of commercial products, 5th ed. Baltimore, MD: Williams & Wilkins, II, 145.
- *Graham JA, Miller FJ, Daniels MJ, et al. 1978. Influence of cadmium, nickel and chromium on primary immunity in mice. *Environ Res* 16:77-87.
- *Grandjean P. 1984. Human exposure to nickel. In: Sunderman FW Jr, ed. Nickel in the human environment. Proceedings of a joint symposium, IARC scientific publication no. 53. International Agency for Research on Cancer, Lyon, France, March 8-11, 1983, 469-485.
- *Gray LE Jr, Kavlock RJ, Ostby J, et al. 1986. An evaluation of figure-eight maze activity and general behavioral development following prenatal exposure to forty chemicals: Effects of cytosine arabinoside, dinocap, nitrofen, and vitamin A. *Neurotoxicology* 7:449-462.
- *Green MHL, Muriel WJ, Bridges BA. 1976. Use of simplified fluctuation test to detect low levels of mutagens. *Mutat Res* 38:33-42.
- *Greenberg RR, Zoller WH, Gordon SE. 1978. Composition and size distribution of particles released in refuse incinerators. *Environmental Science and Technology* 12:566-573.
- Haley PJ, Bite DE, Muggenburg BA, et al. 1987. Immunopathologic effects of nickel subsulfide on the primate pulmonary immune system. *Toxicol Appl Pharmacol* 88:1-12.
- *Haley PJ, Shopp GM, Benson JM, et al. 1990. The immunotoxicity of three nickel compounds following 13-week inhalation exposure in the mouse. *Fundam Appl Toxicol* 15:476-487.
- *Hamilton-Koch W, Snyder RD, Lavelle JM. 1986. Metal-induced DNA damage and repair in human diploid fibroblasts and Chinese hamster ovary cells. *Chem Biol Interact* 59:17-28.
- *Hansen K, Stem RM. 1984. Toxicity and transformation potency of nickel compounds in BHK cells *in vitro*. In: Sunderman FW Jr, Aitio A, Berlin A, eds. Nickel in the human environment. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer 193-200.
- *Hansen LD, Fisher JL. 1980. Distribution in coal fly ash particles. *Environmental Science and Technology* 14:1111-1117.
- *Hansson HC, Ekholm AKP, Ross HB. 1988. Rainwater analysis: A comparison between protoninduced x-ray emission and graphite furnace atomic absorption spectroscopy. *Environmental Science and Technology* 22:527-531.

8. REFERENCES

- *Hargitai L. 1989. The role of humus status of soils in binding toxic elements and compounds. *Sci Total Environ* 81/82:643-651.
- *Hare RT, Furst A, Falk H. 1968. Studies on the acute toxicity of nickelocene. *Proc West Pharmacol Soc* 11:39-42.
- *Hartwig A, Beyersmann D. 1989. Enhancement of UV-induced mutagenesis and sister-chromatid exchanges by nickel ions in V79 cells: Evidence for inhibition of DNA repair. *Mutat Res* 217:65-73.
- *Hartwig A, Kruger I, Beyersmann D. 1994. Mechanisms in nickel genotoxicity: The significance of interactions with DNA repair. *Toxicol Lett* 72:353-358.
- *Hasanen E, Pohjola V, Hakkala M, et al. 1986. Emissions from power plants fueled by peat, coal, natural gas and oil. *Sci Total Environ* 54:29-51.
- *Hassler E, Lind B, Nilsson B, et al. 1983. Urinary and fecal elimination of nickel in relation to air-borne nickel in a battery factory. *Ann Clin Lab Sci* 13:217-224.
- *Hawley GG. 1981. Condensed chemical dictionary. 10th ed. New York, NY: Van Nostrand Reinhold Co., 724-725.
- *Hay DJ, Finkelstein A, Klicius R. 1986. The national incinerator testing and evaluation program two-stage incinerator combustion tests. *Chemosphere* 15:9-12.
- *HazDat. 1996. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *Heit M, Klusek C, Baron J. 1984. Evidence of deposition of anthropogenic pollutants in remote Rocky Mountain air. *Water Air Soil Pollut* 22:403-416.
- *Heit M, Schofield C, Driscoll CT, et al. 1989. Trace element concentrations in fish from three Adirondack lakes New York USA with different pH values. *Water Air Soil Pollut* 44:9-30.
- *Hendel RC, Sunderman FW Jr. 1972. Species variations in the proportions of ultrafiltrable and protein-bound serum nickel. *Res Commun Chem Pathol Pharmacol* 4:141-146.
- *Hindsen M, Christensen OB, Moller B. 1994. Nickel levels in serum and urine in five different groups of eczema patients following oral ingestion of nickel. *Acta Derm Venereol* 74:176-178.
- Hirano S, Asami T, Kodama N, et al. 1994a. Correlation between inflammatory cellular responses and chemotactic activity in bronchoalveolar lavage fluid following intratracheal instillation of nickel sulfate in rats. *Arch Toxicol* 68(7):444-g.
- *Hirano S, Shimada T, Osugi J, et al. 1994b. Pulmonary clearance and inflammatory potency of intratracheally instilled or acutely inhaled nickel sulfate in rats. *Arch Toxicol* 68:548-554.
- *Ho VC, Johnston MM. 1986. Nickel dermatitis in infants. *Contact Dermatitis* 15:270-273.

8. REFERENCES

- *Ho W, Furst A. 1973. Nickel excretion by rats following a single treatment. *Proc West Pharmacol Soc* 16:245-248.
- *Hoey MJ. 1966. The effects of metallic salts on the histology and function of the rat testis. *J Reprod Fertil* 12:461-471.
- *Hopfer SM, Sunderman FW Jr. 1978. Manganese inhibition of nickel subsulfide induction of erythrocytosis in rats. *Res Commun Chem Pathol Pharmacol* 19(2):337-345.
- *Hopfer SM, Sunderman FW Jr. 1988. Hypothermia and deranged rhythm of core body temperature in nickel chloride-treated rats. *Res Commun Chem Pathol Pharmacol* 62:495-505.
- *Hopfer SM, Fay WP, Sunderman FW Jr. 1989. Serum nickel concentrations in hemodialysis patients with environmental exposure. *Ann Clin Lab Sci* 19:161-167.
- *Hopfer SM, Sunderman FW Jr, Reid MC, et al. 1984. Increased immunoreactive erythropoietin in serum and kidney extracts of rats with Ni₃S₂-induced erythrocytosis. *Res Commun Chem Pathol Pharmacol* 43:299-305.
- Horak E, Sunderman FW Jr. 1973. Fecal nickel excretion by healthy adults. *Clin Chem* 19:429-430.
- *Horak E, Sunderman FW Jr. 1975a. Effects of Ni(II) upon plasma glucagon and glucose in rats. *Toxicol Appl Pharmacol* 33:388-391.
- *Horak E, Sunderman FW Jr. 1975b. Effects of Ni(II), other divalent metal ions, and glucagon upon plasma glucose concentrations in normal, adrenalectomized and hypophysectomized rats. *Toxicol Appl Pharmacol* 32:3 16-329.
- *Horak E, Sunderman FW Jr, Sarkar B. 1976. Comparisons of antidotal efficacy of chelating drugs upon acute toxicity of Ni(II) in rats. *Res Commun Chem Pathol Pharmacol* 14:153-165.
- *Horie A, Tanaka I, Haratake J, et al. 1985. Electron microscopy of pulmonary lesions including carcinoma, induced by inhalation exposure of rats to nickel oxide aerosol. In: Brown SS, Sunderman FW Jr, eds. *Progress in nickel toxicology. Proceedings of the 3rd International Congress on Nickel Metabolism and Toxicology*. Oxford, UK: Blackwell, 41-44.
- *HSDB. 1990. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *HSDB. 1996. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Hsie AW, Johnson NP, Couch DB, et al. 1979. Quantitative mammalian cell mutagenesis and a preliminary study of the mutagenic potential of metallic compounds. In: Kharasch N, ed. *Trace metals in health and disease*. New York, NY: Raven Press, 55-69.
- *Hueper WC. 1958. Experimental studies in metal carcinogenesis. IX. Pulmonary lesions in guinea pigs and rats exposed to prolonged inhalation of powdered metallic nickel. *Arch Pathol* 65:600-607.

8. REFERENCES

- *IARC. 1986. Environmental carcinogens: Selected methods of analysis. Volume 8. Some metals: As, Be, Cd, Cr, Ni, Pb, Se, Zn. IARC Scientific Publication No. 71. Lyon, France: International Agency for Research on Cancer, World Health Organization. Methods 11 and 17.
- *IARC. 1990. IARC monographs on the evaluation of carcinogenic risks to humans. Volume 49: Chromium, nickel and welding. Lyon, France: International Agency for Research on Cancer, World Health Organization. 257-445.
- *IARC. 1994. IARC monographs on the evaluation of carcinogenic risks to humans. Lists of IARC evaluations. Lyon France: International Agency for Research on Cancer, World Health Organization,
- *Ilback N-G, Fohlman J, Friman GA. 1992. A common viral infection can change nickel target organ distribution. *Toxicol Appl Pharmacol* 114(1):166-170.
- *Ilback N-G, Fohlman J, Friman G. 1994. Changed distribution and immune effects of nickel augment viral-induced inflammatory heart lesions in mice. *Toxicology* 91:203-219.
- *International Committee on Nickel Carcinogenesis in Man. 1990. Report of the International Committee on Nickel Carcinogenesis in Man. *Stand J Work Environ Health* 16(1):1-82.
- *IRIS. 1996. Integrated Risk Information System. Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency, Cincinnati, OH.
- *Iskan M, Coban T, Eke BC, et al. 1995. Differential responses of hepatic monooxygenases and glutathione S-transferases of mice to a combination of cadmium and nickel. *Comp Biochem Physiol* 111C(1):61-68.
- *Ishimatsu S, Kawamoto T, Matsuno K, et al. 1995. Distribution of various nickel compounds in rat organs after oral administration. *Biol Trace Elem Res* 49(1):43-52.
- *Iyengar G. 1986. Sampling, storage and pretreatment of biological material. In: O'Neill IK, Schuller P, Fishbein L, eds. Some metals: As, Be, Cd, Cr, Ni, Pb, Se, Zn. IARC Scientific Publication No. 71. Lyon, France: International Agency for Research on Cancer, 141-158.
- *Iyengar G. 1989. Elemental analysis of biological systems. Vol. I: Biomedical, environmental, compositional, and methodological aspects of trace elements. Boca Raton, FL: CRC Press, 173-174.
- *Jasim S, Tjalve H. 1986a. Effects of sodium pyridimethione on the uptake and distribution of nickel, cadmium and zinc in pregnant and non-pregnant mice. *Toxicology* 38:327-350.
- *Jasim S, Tjalve H. 1986b. Effect of zinc pyridimethione on the tissue disposition of nickel and cadmium in mice. *Acta Pharmacol Toxicol* 59:204-208.
- *Jenkins DW. 1980. Nickel accumulation in aquatic biota. In: Nriagu JO, ed. Nickel in the environment. New York, NY: John Wiley and Sons, 283-337.

8. REFERENCES

- *Johansson A, Camner P. 1986. Adverse effects of metals on the alveolar part of the lung. *Scanning Electron Microsc* 2:631-637.
- *Johansson A, Camner P, Jarstrand C, et al. 1980. Morphology and function of alveolar macrophages after long-term nickel exposure. *Environ Res* 23: 170-180.
- *Johansson A, Camner P, Robertson B. 1981. Effects of long-term nickel dust exposure on rabbit alveolar epithelium. *Environ Res* 25:391-402.
- *Johansson A, Curstedt T, Robertson B, et al. 1983. Rabbit lung after inhalation of soluble nickel. II. Effects of lung tissue and phospholipids. *Environ Res* 31:399-412.
- Johansson A, Curstedt T, Robertson B, et al. 1989. Lung lesions after experimental combined exposure to nickel and trivalent chromium. *Environ Res* 50:103-119.
- *Johansson A, Lundborg M, Skog S, et al. 1987. Lysozyme activity in ultrastructurally defined fractions of alveolar macrophages after inhalation exposure to nickel. *Br J Ind Med* 44:47-52.
- Johansson A, Wiemik A, Lundborg M, et al. 1988a. Alveolar macrophages in rabbits after combined exposure to nickel and trivalent chromium. *Environ Res* 46: 120-132.
- *Johansson A, Curstedt T, Jarstrand C, et al. 1988b. Effects on the rabbit lung of combined exposure to nickel and trivalent chromium. *Journal of Aerosol Science* 19:1075-1078.
- *Johnson DL, Davis BL, Dzubay TG, et al. 1984. Chemical and physical analyses of Houston aerosol for interlaboratory comparison of source apportionment procedures. *Atmos Environ* 18:1539-1553.
- *Jordan WP, King SE. 1979. Nickel feeding in nickel-sensitive patients with hand eczema. *J Am Acad Dermatol* 1:506-508.
- Juhlin L, Johansson GO, Bennich H, et al. Immunoglobulin E in dermatoses. *Arch Dermatol* 100:12-16.
- *Kaaber K, Veinen NK, Tjell JC. 1978. Low nickel diet in the treatment of patients with chronic nickel dermatitis. *Br J Dermatol* 98:197-201.
- *Kadota I, Kurita M. 1955. Hyperglycemia and islet cell damage caused by nickelous chloride. *Metab Clin Exp* 4:337-342.
- Kaldor J, Peto J, Easton D, et al. 1986. Models for respiratory cancer in nickel refinery workers. *J Natl Cancer Inst* 77:841-848.
- Kalliomaki PL, Hyvarinen KH, Aitio A, et al. 1986. Kinetics of the metal components of intratracheally instilled stainless steel welding fume suspensions in rats. *Br J Ind Med* 43:112-119.
- *Kamboj VP, Kar AB. 1964. Anti-testicular effect of metallic and rare earth salts. *J Reprod Fertil* 7:21-23.

8. REFERENCES

- *Kanematsu M, Hara M, Kada T. 1980. Ret-assay and mutagenicity studies on metal compounds. *Mutat Res* 77:109-116.
- *Kapsenberg ML, Van der Pouw-Kraan T, Stiekeme FE. 1988. Direct and indirect nickel-specific stimulation of T lymphocytes from patients with allergic contact dermatitis to nickel. *Eur J Immunol* 18:977-982.
- Karjalainen S, Kerttula R, Pukkala E. 1992. Cancer risk among workers at a copper/nickel smelter and nickel refinery in Finland. *Int Arch Occup Environ Health* 63: 547-551.
- *Kasprzak KS, Gabryel P, Jarczewska K. 1983. Carcinogenicity of nickel(B) hydroxides and nickel(II) sulfate in Wistar rats and its relation to the *in vitro* dissolution rates. *Carcinogenesis* 4:275-279.
- Kasprzak KS, Marchow L, Breborowicz J. 1973. Pathological reactions in rat lungs following intratracheal injection of nickel subsulfide and 3,4-benzopyrene. *Res Commun Chem Pathol Pharmacol* 6:237-245.
- *Kasprzak KS, Waalkes MP, Poirier LA. 1986. Effects of magnesium acetate on the toxicity of nickelous acetate in rats. *Toxicology* 42:57-68.
- *Keczkes K, Basheer AM, Wyatt EH. 1982. The persistence of allergic contact sensitivity: A loyear follow-up in 100 patients. *Br J Dermatol* 107:461-465.
- *Kempton S, Sterrit RM, Lester JN. 1987. Heavy metal removal in primary sedimentation. I. The influence of metal solubility. *Sci Total Environ* 63:231-247.
- *Kenney MA, McCoy H. 1992. A review of biointeractions of Ni and Mg. I. Enzyme, endocrine, transport, and skeletal systems. *Magnes Res* 5:215-222.
- *Khandelwal S, Tandon SK. 1984. Effect of cadmium pretreatment on nickel toxicity. In: Sunderman FW Jr, Aitio A, Berlin A, eds. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon France: International Agency for Research on Cancer 293-300.
- *Kilbum KH, Warshaw R, Boylen CT, et al. 1990. Cross-shift and chronic effects of stainless-steel welding related to internal dosimetry of chromium and nickel. *Am J Ind Med* 17:607-615.
- *King LD. 1988. Retention of metals by several soils of the southeastern United States. *Journal of Environmental Quality* 17:239-246.
- *Kirk WS. 1988a. Nickel. Preprint from the Bureau of Mines mineral yearbook. Pittsburgh, PA: Bureau of Mines, U.S. Department of the Interior, 1-12.
- *Kirk WS. 1988b. Nickel. In: *Mineral commodity summaries 1988*. Pittsburgh, PA: Bureau of Mines, U.S. Department of the Interior, 1-12.
- *Klein CB, Kargacin B, Su L. 1994. Metal mutagenic Chinese hamster cell lines. *Environ Health Perspect* 102(Suppl 3):63-7.

8. REFERENCES

- *Kodama Y, Ishimatsu S, Matsuno K, et al. 1985a. Pulmonary deposition and clearance of a nickel oxide aerosol by inhalation. *Biol Trace Elem Res* 7:1-8.
- *Kodama Y, Tanaka Z, Matsuno K, et al. 1985b. Pulmonary deposition and clearance of inhaled nickel oxide aerosol. In: Brown SS, Sunderman FW Jr, eds. *Progress in nickel toxicology. Proceedings of the 3rd International Congress on Nickel Metabolism and Toxicology*. Oxford, UK: Blackwell, 81-84. .
- *Kollmeier H, Seemann JW, Muller KM, et al. 1987. Increased chromium and nickel content in lung tissue and bronchial carcinoma. *Am J Ind Med* 11:659-669.
- *Kowalczyk GS, Gordon GE, Rheingrover SW. 1982. Identification of atmospheric particulate sources in Washington, D.C. using chemical element balances. *Environmental Science and Technology* 16:79-90.
- Kreyberg L. 1978. Lung cancer in workers in a nickel refinery. *Br J Ind Med* 109-116.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes W, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang, RSA, ed. *Toxicology of chemical mixtures*. New York, NY: Academic Press, 399-437.
- *Kuligowski J, Halperin KM. 1992. Stainless steel cookware as a significant source of nickel, chromium, and iron. *Arch Environ Contam Toxicol* 23: 211-215.
- *LaBauve JM, Kotuby-Amacher J, Gambrell RP. 1988. The effect of soil properties and a synthetic municipal landfill leachate on the retention of Ca, Ni, Pb, and Zn in soil and sediment materials. *J Water Pollut Control Fed* 60:379.
- *LaBella FS, Dular R, Lemon P, et al. 1973. Prolactin secretion is specifically inhibited by nickel. *Nature* 245:330-332.
- *Landsberger S, Jervis RE, Kajrys G, et al. 1983. Characterization of trace elemental pollutants in urban snow using proton induced x-ray emission and instrumental neutron activation analysis. *Int J Environ Anal Chem* 16:95-130.
- *Larramendy ML, Popescu NC, DiPaolo JA. 1981. Induction by inorganic metal salts of sister chromatid exchanges and chromosome aberrations in human and Syrian hamster cell strands. *Environ Mutagen* 3:597-606.
- *Larsen PF, Zdanowicz V, Johnson AC. 1983. Trace metal distribution in the surficial sediments of Penobscot Bay, Maine. *Bull Environ Contam Toxicol* 31:566-573.
- *Larsson-Stymne B, Widstrom L. 1985. Ear piercing--a cause of nickel allergy in schoolgirls? *Contact Dermatitis* 13:289-293.

8. REFERENCES

- *Lechner JF, Tokiwa T, McClendon IA, et al. 1984. Effects of nickel sulfate on growth and differentiation of normal human bronchial epithelial cells. *Carcinogenesis* 5:1697-1703.
- *Lee RE Jr, Crish HL, Riley AE, et al. 1975. Concentration and size of trace metal emissions from a power plant, a store plant and a cotton gin. *Environmental Science and Technology* 9:643-647.
- *Lee Y-W, Klein CB, Kargacin B, et al. 1995. Carcinogenic nickel silences gene expression by chromatin condensation and DNA methylation: A new model for epigenetic carcinogens. *Molec Cell Biol* 15:2547-2557.
- *Lee-Chen SF, Yu CT, Wu DR, et al. 1994. Differential effects of luminol, nickel and arsenite on the rejoining of ultraviolet light and alkylation-induced DNA breaks. *Environmental and Molecular Mutagenesis* 23:116-120.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modeling. In: Ballantyne B, Marrs T, Turner P, eds. *General and applied toxicology*. New York, NY: Stockton Press, 1:153-164.
- *Ligeti L, Rubanyi G, Kaller A, et al. 1980. Effect of nickel ions on hemodynamics, cardiac performance and coronary blood flow in anesthetized dogs. In: Anke M, Schneider HJ, Bruckner C, eds. [3rd Trace Element Symposium: Nickel]. Jena, East Germany: Freidrick-Schiller-Universitaet, 117-122.
- *Lioy PJ, Daisey JM, Morandi MT, et al. 1987. The airborne toxic element and organic substances (ATEOS) study design. In: Lioy PJ, Daisey JM eds. *Toxic air pollutants: A comprehensive study of non-criteria air pollutants*. Chelsea, MI: Lewis Publishers, Inc., 3-42.
- *Lloyd GK. 1980 Dermal absorption and conjugation of nickel in relation to the induction of allergic contact dermatitis: Preliminary results. In: Brown SS, Sunderman FW Jr, eds. *Nickel Toxicology*. London, UK: Academic Press, 145-148.
- *Lu CC, Matsumoto N, Iijimi S. 1979. Teratogenic effects of nickel chloride on embryonic mice and its transfer to embryonic mice. *Teratology* 19:137-142.
- *Lumb G, Sunderman FW. 1988. The mechanism of malignant tumor induction by nickel subsulfide. *Ann Clin Lab Sci* 18:353-366.
- *Lytle TF, Lytle JS. 1990. Heavy metals in the eastern oyster, *Crassostrea virginica*, of the Mississippi sound. *Bull Environ Contam Toxicol* 44:142-148.
- *Magnus K, Andersen A, Hogetveit AC. 1982. Cancer of respiratory organs among workers at a nickel refinery in Norway. *Int J Cancer* 30:681-685.
- *Mann H, Fyfe WS, Kerrich R, et al. 1989. Retardation of toxic heavy metal dispersion from nickel-copper mine tailings, Sudbury district, Ontario: Role of acidophilic microorganisms. I. Biological pathway of metal retardation. *Biorecovery* 1:155-172.
- *Marcus JM, Thompson AM. 1986. Heavy metals in oyster tissue around three coastal marinas. *Bull Environ Contam Toxicol* 36:587-594.

8. REFERENCES

- *Mart L, Numberg HW, Dryssen D. 1984. Trace metal levels in the eastern Arctic Ocean. *Sci Total Environ* 39: 1-14.
- *Martin TD, Brockhoff CA, Creed JT, et al. 1992. Determination of metals and trace elements in water and wastes by inductively coupled plasma-atomic emission spectrometry. In: Smoley KC, ed. *Methods for the determination of metals in environmental samples*. Boca Raton, FL: CRC Press, 33-78.
- *Marzin DR, Phi HV. 1985. Study of the mutagenicity of metal derivatives with *Salmonella typhimurium* TA102. *Mutat Res* 155:49-51.
- *Mas A, Peligero MJ, Arola L, et al. 1986. Distribution and kinetics of injected nickel in the pregnant rat. *Clin Exp Pharmacol Physiol* 13:91-96.
- *Mastromatteo E. 1986. Yant memorial lecture: Nickel. *Am Ind Hyg Assoc J* 47:589-601.
- *Mathur AK, Gupta BN. 1994. Dermal toxicity of nickel and chromium in guinea pigs. *Vet Human Toxicol* 36(2):131-132.
- *Mathur AK, Agarwal C, Singh A, et al. 1988. Effect of sodium lauryl sulphate and nickel alone and in combination on the skin of guinea pigs. *Toxicol Lett* 42:249-256.
- *Mathur AK, Datta KK, Tandon SK, et al. 1977. Effect of nickel sulphate on male rats. *Bull Environ Contam Toxicol* 17:241-247.
- *Mathur AK, Dikshith TSS, Lal MM, et al. 1978. Distribution of nickel and cytogenetic changes in poisoned rats. *Toxicology* 10:105-113.
- *Mathur AK, Gupta BN, Singh S, et al. 1992. Cutaneous toxicity of sodium lauryl sulphate, nickel, and their combination in guinea pigs: Biochemical and histopathological observations. *Bull Environ Contam Toxicol* 49:871-878.
- *McConnell LH, Fink JN, Schlueter DP, et al. 1973. Asthma caused by nickel sensitivity. *Ann Intern Med* 78:888-890.
- *McCoy H, Kenney MA. 1992. A review of biointeractions of Ni and Mg. II. Immune system and oncology. *Magnes Res* 5(3): 223-232.
- *McGregor DB, Brown A, Cattanch P, et al. 1988. Responses of the L5178Y TK+/TK- mouse lymphoma cell forward mutation assay. III. 72 coded chemicals. *Environ Mol Mutagen* 12:85-154.
- McNeely MD, Nechay MW, Sunderman FW Jr. 1972. Measurements of nickel in serum and urine as indices of environmental exposure to nickel. *Clin Chem* 18:992-995.
- *McNeill DA, Chrisp CE, Fisher GL. 1990. Tumorigenicity of nickel subsulfide in strain A/J mice. *Drug Chem Toxicol* 13:71-86.
- *Medinsky MA, Benson JM, Hobbs CH. 1987. Lung clearance and disposition of ⁶³Ni in F344/N rats after intratracheal instillation of nickel sulfate solutions. *Environ Res* 43:168-178.

8. REFERENCES

- *Meijer C, Bredberg M, Fischer T, et al. 1995. Ear piercing, and nickel and cobalt sensitization, in 520 young Swedish men doing compulsory military service. *Contact Dermatitis* 32:147-149.
- *Menne T. 1994. Quantitative aspects of nickel dermatitis: Sensitization and eliciting threshold concentrations. *Sci Total Environ* 148:275-281.
- *Menne T, Calvin G. 1993. Concentration threshold of non-occluded nickel exposure in nickel sensitive individuals and controls with and without surfactant. *Contact Dermatitis* 29:180-184.
- Menne T, Holm NV. 1983. Nickel allergy in a female twin population. *Int J Dermatol*, 22:22-28.
- *Menne T, Maibach HI. 1987. Systemic contact allergy reactions. *Sem Dermatol* 6:108-118.
- *Menne T, Maibach HI. 1989. Nickel allergic contact dermatitis: A review. *J Am Coll Toxicol* 8:1271-1273.
- Menne T, Thorboe A. 1976. Nickel dermatitis--nickel excretion. *Contact Dermatitis* 2:353-354.
- *Menne T, Brandrup F, Thestrup-Pedersen K, et al. 1987. Patch test reactivity to nickel alloys. *Contact Dermatitis* 16:255-259.
- *Menne T, Christophersen J, Green A. 1989. Epidemiology of nickel dermatitis. In: Maibach HI, Menne T, eds. *Nickel and the skin: Immunology and toxicology*. Boca Raton, FL: CRC Press, Inc., 109-115.
- *Meranger JC, Subramanian KS, Chalifoux C. 1981. Survey for cadmium, cobalt, chromium, copper, nickel, lead, calcium, and magnesium in Canadian drinking water supplies. *J Assoc Off Anal Chem* 64:44-53.
- Merritt K, Crowe TD, Brown SA. 1989. Elimination of nickel, cobalt, and chromium following repeated injections of high dose metal salts. *J Biomed Mater Res* 23:845-862.
- Migally N, Murthy RC, Doye A, et al. 1982. Changes in pulmonary alveolar macrophages in rats exposed to oxides of zinc and nickel. *J Submicrosc Cytol* 14:621-626.
- *Minear RA, Ball RO, Church RL. 1981. Database for influent heavy metals in publicly owned treatment works. EPA 600/152-8-1-220. Cincinnati, OH: Municipal Environmental Research Laboratory, U.S. Environmental Protection Agency 1-5.
- *Misra M, Athar M, Hasan SK, et al. 1988. Alleviation of nickel-induced biochemical alterations by chelating agents. *Fundam Appl Toxicol* 11:285-292.
- *Miura T, Patiemo SR, Sakuramoto T. 1989. Morphological and neoplastic transformation of C3H/10T1/2 Cl 8 mouse embryo cells by insoluble carcinogenic nickel compounds. *Environ Mol Mutagen* 14:65-78.
- *Miyaki M, Akamatsu N, Ono T, et al. 1979. Mutagenicity of metal cations in cultured cells from Chinese hamster. *Mutat Res* 68:259-263.

8. REFERENCES

- *Moller H. 1984. Attempts to induce contact allergy to nickel in the mouse. *Contact Dermatitis* 10:65-68.
- *Moon J, Davison AJ, Smith TJ, et al. 1988. Correlation clusters in the accumulation of metals in human scalp hair: Effects of age, community of residence and abundances of metals in air and water supplies. *Sci Total Environ* 72:87-112.
- *Morgan LG, Rouge PJC. 1984. Biological monitoring in nickel refinery workers. In: Sunderman FW Jr, ed. *Proceedings of a joint symposium, IARC, Lyon, France, March 8-11, 1983*, 507-520.
- *Morimoto Y, Nambu Z, Tanaka I, et al. 1995. Effects of nickel oxide on the production of tumor necrosis factor by alveolar macrophages of rats. *Biological Trace Element Research* 48 (3):287-296.
- *Mouvet C, Bourg ACM. 1983. Speciation (including adsorbed species) of copper, lead, nickel, and zinc in the Meuse River. *Water Research* 17:641-649.
- *Mozzanica N, Rizzolo L, Veneroni G, et al. 1990. HLA-A, B, C and DR antigens in nickel contact sensitivity. *Br J Dermatol* 122:309-314.
- Mudroch A, Arafat N, Davies S. 1984. Changes in chemical speciation of soluble metals in Quebec lakes. *Environ Tech Lett* 5:237-244.
- *Muir DCF, Jadon N, Julian JA, et al. 1994. Cancer of the respiratory tract in nickel sinter plant workers: effect of removal from sinter plant exposure. *Occup Environ Med* 51 (1):19-22.
- *Muir DCF, Julian J, Jadon N, et al. 1993. Prevalence of small opacities in chest radiographs of nickel sinter plant workers. *Br J Ind Med* 50:428-431.
- *Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludge. *Arch Environ Contam Toxicol* 13:75-83.
- *Mustafa S, Haq I. 1988. Adsorption of copper, cobalt and nickel on amorphous iron hydroxide from aqueous electrolyte solution. *Environ Technol Lett* 9: 1379- 1386.
- *Myron DR, Zimmerman TJ, Shuler TR, et al. 1978. Intake of nickel and vanadium by humans. A survey of selected diets. *Am J Clin Nutr* 31:527-531.
- *NAS. 1975. Nickel. National Academy of Sciences. Washington, DC: National Academy Press, 4, 5, 17.
- NAS. 1989. Recommended dietary allowance. National Academy of Sciences. Washington DC: National Academy Press.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NATICH. 1996. National Air Toxics Information Clearinghouse. Acceptable ambient air concentration guidelines/standards; concentrations, units, and averaging times report.

8. REFERENCES

- *Nethercott JR, Holness DL. 1990. Cutaneous nickel sensitivity in Toronto, Canada. *J Am Acad Dermatol* 22:756-761.
- *Nielsen FH. 1980. Effect of form of iron on the interaction between nickel and iron in rats: Growth and blood parameters. *J Nutr* 110:965-973.
- *Nielsen FH. 1982. Possible future implications of nickel, arsenic, silicon, vanadium, and other ultratrace elements in human nutrition. In: *Clinical and Biochemical Nutritional Aspects of Trace Elements*. New York, NY: Alan R. Liss, Inc., 379-404.
- *Nielsen FH. 1990. Other trace elements. In: Brown ML, ed. *Present knowledge in nutrition*, 6th edition, Washington DC: International Life Sciences Institute Press, 294-307.
- *Nielsen FH, Ollerich DA. 1974. Nickel: A new essential trace element. *FASEBJ* 33:1767-1772.
- *Nielsen FI-I, Sandstead HH. 1974. Are nickel, vanadium, silicon, fluorine, and tin essential for man. *Ann J Clin Nutr* 27:515-520.
- *Nielsen FH, Curtiss DH, Ulthus ED. 1980. Interactions between essential trace and ultratrace elements. *Ann N Y Acad Sci* 355:152-162.
- *Nielsen FH, Myron DR, Givand SH, et al. 1975. Nickel deficiency in rats. *J Nutr* 105:1620-1630.
- *Nielsen FH, Shuler TR, McLeod TG, et al. 1984. Nickel influences iron metabolism through physiologic, pharmacologic and toxicologic mechanisms in the rat. *J Nutr* 114::1280-1288.
- *Nielsen GD, Flyvholm M. 1984. Risks of high nickel intake with diet. In: Sunderman FW Jr, ed. *Nickel in the human environment. Proceedings of a joint symposium, Lyon, France, March 8-11, 1983*. IARC scientific publication no. 53. International Agency for Research on Cancer 333-338.
- *Nielsen GD, Jepson LV, Jorgensen PJ, et al. 1990. Nickel-sensitive patients with vesicular hand eczema: Oral challenge with a diet naturally high in nickel. *Br J Dermatol* 122:299-308.
- *Nightingale HI. 1987. Water quality beneath urban runoff water management basins. *Water Resource Bulletin* 23: 197-205.
- NIOSH. 1989. *National Occupational Exposure Survey (NOES)*. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. March 29, 1989.
- *NIOSH. 1990. *National Occupational Exposure Survey (NOES)*. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. July 1, 1990.
- *NIOSH. 1994a. *Documentation for immediately dangerous to life or health concentrations (IDLHs)*. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.

8. REFERENCES

- *NIOSH. 1994b. NIOSH manual of analytical methods, 4th ed. Methods 7300, 8005, 8310. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control.
- *NIOSH. 1994c. NIOSH pocket guide to chemical hazards. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. NIOSH Publications, Cincinnati, OH.
- *NOAA. 1987. A summary of selected data on chemical contaminants in tissues collected during 1984, 1985, and 1986. NOAA Tech. Memorandum NOS OMA38. Rockville, MD: National Oceanic Atmospheric Administration.
- *Norgaard O. 1955. Investigation with radioactive Ni-57 into the resorption of nickel through the skin in normal and in nickel-hypersensitive persons. *Acta Derm Venereol* 35:111-117.
- *Norgaard O. 1957. Investigations with radioactive nickel, cobalt and sodium on the resorption through the skin in rabbits, guinea pigs and man. *Acta Derm Venereol* 37:440-445.
- *North American Contact Dermatitis Group. 1973. Epidemiology of contact dermatitis in North America: 1972. *Arch Dermatol* 108:537-549.
- *Novey HS, Habib M, Wells ID. 1983. Asthma and IgE antibodies induced by chromium and nickel salts. *J Allergy Clin Immunol* 72:407-412.
- Nriagu JO. 1989. A global assessment of natural sources of atmospheric trace metals. *Nature* 338:47-49.
- *Nriagu JO, Coker RD. 1980. Trace metals in humic and fulvic acids from Lake Ontario sediments. *Environmental Science and Technology* 14:443-446.
- *Nriagu JO, Pacyna JM. 1988. Quantitative assessment of worldwide contamination of air, water and soils by trace metals. *Nature* 333:134-139.
- *NTD. 1995. National Trade Data Base: The export connection.
- *NTP. 1996a. NTP technical report on the toxicology and carcinogenesis studies of nickel oxide (CAS No. 1313-99-1) in F344/N rats and B6C3F1 mice (inhalation studies). Research Triangle Park, NC. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NTP-TRS No. 451.
- *NTP. 1996b. NTP technical report on the toxicology and carcinogenesis studies of nickel subsulfide (CAS No. 12035-72-2) in F344/N rats and B6C3F1 mice (inhalation studies). Research Triangle Park, NC. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NTP-TRS No. 453.
- *NTP. 1996c. NTP technical report on the toxicology and carcinogenesis studies of nickel sulfate (CAS No. 10101-97-0) in F344/N rats and B6C3F1 mice (inhalation studies). Research Triangle Park, NC. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NTP-TRS No. 454.

8. REFERENCES

- *Ogawa HI, Shibahara T, Iwata H, et al. 1994. Genotoxic activities *in vivo* of cobaltous chloride and other metal chlorides as assayed in the *Drosophila* wing spot test. *Mutat Res* 320:133-140.
- *Ohanian EV. 1986. Health effects of corrosion products in drinking water. *Trace Subst Environ Health* 20:122-138.
- *Ohno H, Hanaoka F, Yamada M. 1982. Inducibility of sister chromatid exchanges by heavy metal ions. *Mutat Res* 104:141-145.
- OSHA. 1989. U.S. Department of Labor. Occupational Safety and Health Administration. Air contaminants: Final rule. Code of Federal Regulations. 29 CFR 1910, 2946.
- *OSHA. 1993. U.S. Department of Labor. Occupational Safety and Health Administration. Air contaminants: final rule. Code of Federal Regulations 29 CFR 1910.
- *Oskarsson A, Tjalve H. 1979. An autoradiographic study on the distribution of $^{63}\text{NiCl}_2$ in mice. *Ann Clin Lab Sci* 9:47-59.
- *Ottolenghi AD, Haseman JK, Payne WW, et al. 1974. Inhalation studies of nickel sulfide in pulmonary carcinogenesis of rats. *J Natl Cancer Inst* 54:1165-1172.
- *Pacyna JM. 1984. Estimation of the atmospheric emissions of trace elements from anthropogenic sources in Europe. *Atmos Environ* 18:41-50.
- *Pacyna JM, Ottar B. 1985. Transport and chemical composition of the summer aerosol in the Norwegian arctic. *Atmos Environ* 19:2109-2120.
- *Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environmental Science and Technology* 15: 1475- 1481.
- *Patiemo SR, Costa M. 1985. DNA-protein cross-links induced by nickel compounds in intact cultured mammalian cells. *Chem Biol Interact* 55:75-91.
- *Patiemo SR, Costa M. 1987. Effects of nickel(II) on nuclear protein binding to DNA in intact mammalian cells. *Cancer Biochem Biophys* 9: 113-126.
- *Pattenden NJ, Branson JR, Fisher EMR. 1982. Trace element measurement in wet and dry deposition and airborne particulate at an urban site. *Deposition Atmos Pollut Proc Colloq*, 173-184.
- *Pedersen E, Hogetveit AC, Andersen A. 1973. Cancer of respiratory organs among workers at a nickel refinery in Norway. *Int J Cancer* 12:32-41.
- *Pennington JAT, Jones JW. 1987. Molybdenum, nickel, cobalt, vanadium, and strontium in total diets. *J Am Diet Assoc* 87:1644-1650.
- *Pikalek P, Necasek J. 1983. The mutagenic activity of nickel in *Cornebacterium* sp. *foila*. *Microbial* 26: 17-21.

8. REFERENCES

- *Polednak AP. 1981. Mortality among welders, including a group exposed to nickel oxides. Arch Environ Health 36:235-242.
- *Pool-Zobel BL, Lotzmann N, Knoll M, et al. 1994. Detection of genotoxic effects in human gastric and nasal mucosa cells isolated from biopsy samples. Environmental and Molecular Mutagenesis 24:23-45.
- Pott F, Ziem U, Reiffer FJ, et al. 1987. Carcinogenicity studies on fibres, metal compounds and some other dusts in rats. Exp Pathol 32:129-152.
- *Poulton DJ. 1987. Trace contaminant status of Hamilton Harbor. J Great Lakes Res 13:193-202.
- *Poulton DJ, Simpson KJ, Barton DR, et al. 1988. Trace metals and benthic invertebrates in sediments of nearshore Lake Ontario and Hamilton Harbor. J Great Lakes Res 14:52-65.
- *Prystowsky SD, Allen AM, Smith RW, et al. 1979. Allergic contact hypersensitivity to nickel, neomycin, ethylenediamine and benzocaine. Arch Dermatol 115:959-962.
- *QueHee SS, Finelli VN, Fricke FL, et al. 1982. Metal content of stack emissions, coal and fly ash from some eastern and western power plants in the USA as obtained by ICP-AES. Int J Environ Anal Chem 13:1-18.
- *Rai D, Zachara JM. 1984. Chemical attenuation rates, coefficients, and constants in leachate migration. Volume 1: A critical Review. Electric Power Research Institute, Palo Alto, CA.
- *Raithel HJ, Schaller KH, Akslen LA, et al. 1989. Analyses of chromium and nickel in human pulmonary tissue. Investigations in lung cancer patients and a control population under special consideration of medical expertise aspects. Int Arch Occup Environ Health 61:507-512.
- *Raithel HJ, Schaller KH, Reith A, et al. 1988. Investigations on the quantitative determination of nickel and chromium in human lung tissue industrial medical toxicological and occupational medical expertise aspects. Int Arch Occup Environ Health 60:55-66.
- *Rasmuson A. 1985. Mutagenic effects of some water-soluble metal compounds in a somatic eyecolor test system in *Drosophila melanogaster*. Mutat Res 157:157-162.
- *Redmond CK. 1984. Site-specific cancer mortality among workers involved in the production of high nickel alloys: In: Sunderman FW Jr, Aitio A, Berlin A, eds. Nickel in the human environment. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer 73-86.
- *Reith AK, Reichborn-Kjennerud S, Aubele M, et al. 1994. Biological monitoring of chemical exposure in nickel workers by imaging cytometry (ICM) of nasal smears. Anal Cell Path 6:9-21.
- *Rendall REG, Phillips JI, Renton KA. 1994. Death following exposure to fine particulate nickel from a metal arc process. Ann Occup Hyg 38(6):921-930.
- *Rezuke WN, Knight JA, Sunderman FW Jr. 1987. Reference values for nickel concentrations in human tissues and bile. Am J Ind Med 11:419-426.

8. REFERENCES

- *Richter RO, Theis TL. 1980. Nickel. In: Nriagu JO, ed. Nickel in the Environment. New York, NY: John Wiley and Sons, Inc., 189-202
- Roberts RS, Julian JA, Muir DCF, et al. 1989. A study of mortality in workers engaged in the mining, smelting, and refining of nickel. *Toxicol Ind Health* 5:975-993.
- *Robinson SH, Costa M. 1982. The induction of DNA strand breakage by nickel compounds in cultured Chinese hamster ovary cells. *Cancer Lett* 15:35-40.
- *Rodriguez-Amaiz R, Ramos P. 1986. Mutagenicity of nickel sulphate in *Drosophila melanogaster*. *Mutat Res* 170:115-117.
- *Rope SK, Arthur WJ, Craig TH, et al. 1988. Nutrient and trace elements in soil and desert vegetation of southern Idaho. *Environ Monit Assess* 10:1-24.
- *Rossmann R. 1988. Estimation of trace metal storage in Lake St. Clair post-settlement sediments using composite samples. *J Great Lakes Res* 14:66-75.
- *RTI. 1985. Final report (draft): Dose-range finding study of nickel chloride administered to CD rats in the drinking water. Report to Office of Solid Waste Management, U.S. Environmental Protection Agency by Research Triangle Institute. Research Triangle Park, NC.
- *RTI. 1986. Two-generation reproduction and fertility study of nickel chloride administered to CD rats in the drinking water: 90-Day exposure of CD rats to nickel chloride administered in the drinking water. Final study report (I of III). Report to Office of Solid Waste Management, U.S. Environmental Protection Agency by Research Triangle Institute. Research Triangle Park, NC.
- *RTI. 1988a. Two-generation reproduction and fertility study of nickel chloride administered to CD rats in the drinking water: Fertility and reproductive performance of the P₀ generation. Final study report (II of III). Report to Office of Solid Waste Management, U.S. Environmental Protection Agency by Research Triangle Institute. Research Triangle Park, NC.
- *RTI. 1988b. Two-generation reproduction and fertility study of nickel chloride administered to CD rats in the drinking water: Fertility and reproductive performance of the F₁ generation. Final study report (III of III). Report to Office of Solid Waste Management, U.S. Environmental Protection Agency by Research Triangle Institute. Research Triangle Park, NC.
- *Rubanyi G, Ligeti L, Koller A, et al. 1984. Possible role of nickel ions in the pathogenesis of ischemic coronary vasoconstriction in the dog heart. *J Mol Cell Cardiol* 16:533-546.
- *Rudd T, Lake DL, Mehrotra I, et al. 1988. Characterization of metal forms in sewage sludge by chemical extraction and progressive acidification. *Sci Total Environ* 74:149-175.
- *Rybicka EH. 1989. Metals and their chemical and mineralogical forms in industrial pollutants of the atmosphere. *Environ Technol Lett* 10:921-928.
- *Sabbioni E, Goetz L, Bignoli G. 1984. Health and environmental implications of trace metals released from coal-fired power plants: An assessment study of the situation in the European community. *Sci Total Environ* 40:141-154.

8. REFERENCES

- *Sadiq M, Enfield CG. 1984a. Solid phase formation and solution chemistry of nickel in soils. 1. Theoretical. Soil Sci 138:262-270.
- *Sadiq M, Enfield CG. 1984b. Solid phase formation and solution chemistry of nickel in soils. 2. Experimental. Soil Science 138:335-340.
- *Saltzman BE, Cholak J, Schafer JL, et al. 1985. Concentration of six metals in the air of eight cities. Environmental Science and Technology 19:328-333.
- *Santucci B, Manna F, Cannistraci C, et al. 1994. Serum and urine concentrations in nickel-sensitive patients after prolonged oral administration. Contact Dermatitis 30:97-101.
- *Sarker B. 1984. Nickel metabolism. In: Sunderman FW Jr, Aitio A, Berlin A, eds. Nickel in the human environment. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer 367-384.
- *Saxholm HJK, Reith A, Brogger A. 1981. Oncogenic transformation and cell lysis in C3H/10T1/2 cells and increased sister chromatid exchange in human lymphocytes by nickel subsulfide. Cancer Res 41:4136-4139.
- *Schmidt JA, Andren AW. 1980. The atmospheric chemistry of nickel. In: Nriagu JO, ed. Nickel in the environment. New York, NY: John Wiley and Sons, Inc., 93-135.
- *Schroeder HA, Mitchener M. 1971. Toxic effects of trace elements on the reproduction of mice and rats. Arch Environ Health 23: 102.
- *Schroeder HA, Mitchener M. 1975. Life-term effects of mercury, methyl mercury and nine other trace metals on mice. J Nutr 105:452-458.
- *Schroeder HA, Balassa JJ, Vinton WH Jr. 1964. Chromium, lead, cadmium, nickel and titanium in mice: Effect on mortality, tumors and tissue levels. J Nutr 83:239-250.
- *Schroeder HA, Mitchener M, Nason AP. 1974. Life-term effects of nickel in rats: Survival, tumors, interactions with trace elements and tissue levels. J Nutr 104:239-243.
- *Schroeder WH, Dobson M, Kane DM. 1987. Toxic trace elements associated with airborne particulate matter: A review. Air Pollut Control Assoc 11:1267-1287.
- *Seidenberg JM, Anderson DG, Becker RA. 1986. Validation of an *in vivo* developmental toxicity screen in the mouse. Teratogenesis Carcinog Mutagen 6:361-374.
- Sen P, Costa M. 1986a. Incidence and localization of sister chromatid exchanges induced by nickel and chromium compounds. Carcinogenesis 7:1527-1533.
- *Sen P, Costa M. 1986b. Pathway of nickel uptake influences its interaction with heterochromatic DNA. Toxicol Appl Pharmacol 84:278-285.
- *Sen P, Conway K, Costa M. 1987. Comparison of the localization of chromosome damage induced by calcium chromate and nickel compounds. Cancer Res 47:2142-2147.

8. REFERENCES

- *Shacklette HT, Boemgen JG. 1984. Element concentration in soils and other surficial materials of the conterminous United States. U.S. Geological Survey professional paper 1270. Alexandria, VA: U.S. Geological Survey.
- *Shannon HS, Julian JA, Muir DCF, et al. 1984a. A mortality study of Falcon Bridge workers. In: Sunderman FW Jr, Aitio A, Berlin A, eds. Nickel in the environment. IARC scientific publications no. 53. Lyon, France: International Agency for Research on Cancer, 117-124.
- *Shannon HS, Julian JA, Roberts, RS. 1984b. A mortality study of 11,500 nickel workers. J Natl Cancer Inst 73(6):1251-1258.
- *Shannon HS, Walsh C, Jadon N, et al. 1991. Mortality of 11,500 nickel workers -- extended follow up and relationship to environmental conditions. Toxicol Ind Health 7:277-294.
- *Shiller AM, Boyle EA. 1987. Variability of dissolved trace metals in the Mississippi River (USA). Geochim Cosmochim Acta 51:3273-3278.
- *Shirakawa T, Kusaka Y, Fujimura N, et al. 1990. Hard metal asthma - cross immunological and respiratory activity between cobalt and nickel. Thorax 45:267-271.
- *Siller GM, Seymour GJ. 1994. Kinetics and specificity of nickel hypersensitivity in the murine model. Australas J Dermatol 35:77-81.
- *Singh I. 1984. Induction of gene conversion and reverse mutation by manganese sulphate and nickel sulphate in *Saccharomyces cerevisiae*. Mutat Res 137:47-49.
- *Sjovall P, Christensen OB, Moller H. 1987. Oral hyposensitization in nickel allergy. J Am Acad Dermatol 17(1):774-778.
- *Smart GA, Sherlock JC. 1987. Nickel in foods and the diet. Food Additives and Contaminants 4:61-71.
- *Smialowicz RJ, Rogers RR, Riddle MM, et al. 1985. Immunologic effects of nickel. II. Suppression of natural killer cell activity. Environ Res 36:56-66.
- *Smialowicz RJ, Rogers RR, Riddle MM, et al. 1986. Immunological studies in mice following *in utero* exposure to NiCl₂. Toxicology 38:293-303.
- *Smialowicz RJ, Rogers RR, Rowe DG, et al. 1987. The effects of nickel on immune function in the rat. Toxicology 44:271-281.
- Smith JC, Hackley B. 1968. Distribution and excretion of nickel-63 administered intravenously to rats. J Nutr 95:541-546.
- Smith GM, Williams FLR, Lloyd OLL. 1987. Respiratory cancer and air pollution from iron foundries in a Scottish town: An epidemiological and environmental study. Br J Ind Med 44:795-802.

8. REFERENCES

- *Smith MK, George EL, Stober JA. 1993. Perinatal toxicity associated with nickel chloride exposure. *Environ Res* 61:200-211.
- *Sobti RC, Gill RK. 1989. Incidence of micronuclei and abnormalities in the head of spermatozoa caused by the salts of a heavy metal nickel. *Cytologia* 54:249-254.
- *Solomons NW, Viteri F, Shuler TR, et al. 1982. Bioavailability of nickel in man: Effects of food and chemically defined dietary constituents on the absorption of inorganic nickel. *J Nutr* 112:39-50.
- *Spiegelberg T, Koerdel W, Hochrainer D. 1984. Effect of NiO inhalation on alveolar macrophages and the humoral immune system of rats. *Ecotoxicol Environ Safety* 8:516-525.
- *Spruit D, Bongaarts PJM. 1977. Nickel content of plasma, urine and hair in contact dermatitis. *Dermatologica* 154:291-300.
- *Srivastava RC, Husain MM, Srivastava SK, et al. 1995. Effect of pre-exposure to cadmium and silver on nickel induced toxic manifestations in mice: possible role of ceruloplasmin and metallothionein. *Bull Environ Contam Toxicol* 54:751-759.
- *Stedman DH, Hikade DA. 1980. Nickel toxicology. In: Brown SS, Sunderman FW Jr, eds. *Proceedings of the international conference on nickel toxicology*, September, Swansea, Wales. London, UK: Academic Press, 183-186.
- *Stephenson T, Lawson PS, Rudd T, et al. 1987. Mechanism of metal removal in activated sludge. *Journal of Environmental Engineering* 113: 1074-1087.
- *Stoeppler M. 1980. Analysis of nickel in biological material and natural waters. In: Nriagu JO, ed. *Nickel in the environment*. New York, NY: John Wiley and Sons, Inc., 661-821.
- *Stoeppler M. 1984. Analytical chemistry of nickel. In: Sunderman FW Jr, Aitio A, Berlin A, eds. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer 459-485.
- *Stoessel RP, Michaelis W. 1986. Wet and dry deposition of heavy metals. In: *Proceedings of the 2nd International Conference on Environmental Contamination*, Amsterdam, Netherlands: CEP Consultants, Ltd. Amsterdam 85-88.
- *Stutz DR, Janusz SJ. 1988. *Hazardous materials injuries--a handbook for pre-hospital care*. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 218-219.
- *Sumino K, Hayakawa K, Shibata T, et al. 1975. Heavy metals in normal Japanese tissues: Amounts of 15 heavy metals in 30 subjects. *Arch Environ Health* 30:487-494.
- *Sunderman FW Jr. 1986. Sources of exposure and biological effects of nickel. In: O'Neill IK, Schuller P, Fishbein L, eds. *Environmental carcinogens selected methods of analysis*. Volume 8: Some metals: As, Be, Cd, Cr, Ni, Pb, Se, Zn. IARC scientific publication no. 71. Lyon, France: International Agency for Research on Cancer, 79-92.

8. REFERENCES

- *Sunderman FW Jr. 1989a. Carcinogenicity of metal alloys in orthopedic prostheses: Clinical and experimental studies. *Fundam Appl Toxicol* 13:205-216.
- *Sunderman FW Jr. 1989b. Mechanisms of nickel carcinogenesis. *Stand J Work Environ Health* 15:1-12.
- *Sunderman FW Jr. 1993. Biological monitoring of nickel in humans. *Stand J Work Environ Health* 19(Suppl 1):34-38.
- *Sunderman FW Jr, Barber AM. 1988. Finger-loops, oncogenes, and metals. *Ann Clin Lab Sci* 18:267-288.
- *Sunderman FW Jr, Horak E. 1981. Biochemical indices of nephrotoxicity, exemplified by studies of nickel nephropathy. In: Brown SS, Davies DS, eds. *Organ-directed toxicity: Chemical indices and mechanisms*. London, UK: Pergamon Press, 52-64.
- *Sunderman FW Jr, Maenza RM 1976. Comparisons of carcinogenicities of nickel compounds in rats. *Res Commun Chem Pathol Pharmacol* 14:319-330.
- *Sunderman FW Jr, McCully KS. 1983. Effects of manganese compounds on carcinogenicity of nickel subsulfide in rats. *Carcinogenesis* 4:461-465.
- *Sunderman FW Jr, Oskarsson A. 1991. Nickel. In: Merian E, ed. *Metals and their compounds in the environment*. New York, NY: VCH Verlagsgesellschaft, 1101-1126.
- *Sunderman FW Jr, Aitio A, Morgan LG, et al. 1986. Biological monitoring of nickel. *Toxicol Ind Health* 2:17-78.
- *Sunderman FW Jr, Dingle B, Hopfer SM, et al. 1988. Acute nickel toxicity in electroplating workers who accidentally ingested a solution of nickel sulfate and nickel chloride. *Am J Ind Med* 14:257-266.
- *Sunderman FW Jr, Hopfer SM, Knight JA, et al. 1987. Physicochemical characteristics and biological effects of nickel oxides. *Carcinogenesis* 8:305-313.
- *Sunderman FW Jr, Hopfer SM, Sweeney KR, et al. 1989b. Nickel absorption and kinetics in human volunteers. *Proc Soc Exp Biol Med* 191:5-11.
- *Sunderman FW Jr, Hopfer SM, Swift T, et al. 1989c. Cobalt, chromium, and nickel concentrations in body fluids of patients with porous-coated knee or hip prostheses. *J Orthop Res* 7:307-315.
- *Sunderman FW Jr, Kasprzak K, Horak E, et al. 1976. Effects of triethylenetetramine upon the metabolism and toxicity of $^{63}\text{NiCl}_2$ in rats. *Toxicol Appl Pharmacol* 38: 177-188.
- *Sunderman FW Jr, Morgan LG, Andersen A, et al. 1989a. Histopathology of sinonasal and lung cancers in nickel refinery workers. *Ann Clin Lab Sci* 19:44-50.
- *Sunderman FW Jr, Shen SK, Mitchell JM, et al. 1978. Embryotoxicity and fetal toxicity of nickel in rats. *Toxicol Appl Pharmacol* 43:381-390.

8. REFERENCES

- *Sweeney MD, Naidu AS. 1989. Heavy metal in sediments of the inner shelf of the Beaufort Sea, northern arctic Alaska. *Marine Pollution Bulletin* 20:140-143.
- *Szakmary E, Movai V, Naray M, et al. 1995. Haemodynamic effect of nickel chloride in pregnant rats. *Acta Physiologica Hungarica* 83(1):3-12.
- *Takagi Y, Matsuda S, Imai S, et al. 1986. Trace elements in human hair: An international comparison. *Bull Environ Contam Toxicol* 36:793-800.
- *Takagi Y, Matsuda S, Imai S, et al. 1988. Survey of trace elements in human nails: An international comparison. *Bull Environ Contam Toxicol* 41:690-695.
- *Takenaka S, Hochrainer D, Oldiges H. 1985. Alveolar proteinosis induced in rats by long-term inhalation of nickel oxide. In: Brown SS, Sunderman FW Jr, eds. *Progress in nickel toxicology. Proceedings of the 3rd International Congress on Nickel Metabolism and Toxicology*, Oxford, UK: Blackwell, 89-92.
- *Tallkvist J, Tjalve H. 1994. Nickel absorption from perfused rat jejunal and ileal segments. *Pharmacol Toxicol* 75:233-243.
- *Tanaka I, Horie A, Haratake J, et al. 1988. Lung burden of green nickel oxide aerosol and histopathological findings in rats after continuous inhalation. *Biol Trace Elem Res* 16: 19-26.
- *Tanaka I, Ishimatsu S, Matsuno K, et al. 1985. Biological half time of deposited nickel oxide aerosol in rat lung by inhalation. *Biol Trace Element Res* 8:203-210.
- *Taylor GJ, Crowder AA. 1983. Accumulation of atmospherically deposited metals in wetland soils of Sudbury, Ontario. *Water Air Soil Pollut* 19:29-42.
- *Tedeschi RE, Sunderman FW. 1957. Nickel poisoning V. The metabolism of nickel under normal conditions and after exposure to nickel carbonyl. *Arch Ind Health* 16:486-488.
- *Templeton DM, Sunderman FW Jr, Herber RPM. 1994. Tentative reference values for nickel concentrations in human serum, plasma, blood, and urine: Evaluation according to the TRACY protocol. *Sci Tot Environ* 148:243-251.
- *Tien JK, Howson TE. 1981. Nickel and nickel alloys. In: Grayson M, Eckroth D, eds. *Kirk-Othmer encyclopedia of chemical technology*, Vol. 15, 3rd ed. New York, NY: John Wiley and Sons, Inc., 787-801.
- *Tipton IH, Cook MJ. 1963. Trace elements in human tissue. Part II. Adult subjects from the United States. *Health Physics* 9:103-145.
- *Tola S, Kilpio J, Virtamo M. 1979. Urinary and plasma concentrations of nickel as indicators of exposure to nickel in an electroplating shop. *J Occup Med* 21: 184-188.
- *Torjussen W. 1985. Occupational nasal cancer caused by nickel and nickel compounds. *Rhinology* 23:101-105.

8. REFERENCES

- *Totjussen W, Andersen I. 1979. Nickel concentrations in nasal mucosa, plasma and urine in active and retired nickel workers. *Ann Clin Lab Sci* 9:289-298.
- *TRI93. 1995. Toxics Release Inventory 1988. Office of Toxic Substances, U.S. Environmental Protection Agency, Washington, DC.
- *Turk JL, Parker D. 1977. Sensitization with Cr, Ni, and Zr salts and allergic type granuloma formation in the guinea pig. *J Invest Dermatol* 68:341-345.
- *Tyler LD, McBride MB. 1982. Mobility and extractability of cadmium, copper, nickel, and zinc in organic and mineral soil columns. *Soil Science*, 134:198-205.
- *U.S. Department of Commerce. 1987. Statistical abstracts of the United States. 108th ed. Washington, DC: Bureau of the Census, U.S. Department of Commerce, 670-681.
- *Valentine R, Fisher GL. 1984. Pulmonary clearance of intratracheally administered $^{63}\text{Ni}_3\text{S}_2$ in strain A/J mice. *Environ Res* 34:328-334.
- *van den Berg CM, Achterberg EP. 1994. Automated in-line sampling and analysis of trace elements in surface waters. *Trends Anal Chem* 13(9):348-352.
- *van Geen A, Rosener P, Boyle E. 1988. Entrainment of trace-metal-enriched Atlantic-shelf water in the inflow to the Mediterranean Sea. *Nature* 331:423-426.
- *van Hoogstraten IMW, von Blomberg ME, Boden D, et al. 1994. Effects of oral exposure to nickel or chromium on cutaneous sensitization. *Curr Probl Dermatol* 20:237-241.
- *Veien NK, Menne T. 1990. Nickel contact allergy and a nickel-restricted diet. *Seminars in Dermatology* 9(3):197-205.
- *Veien NK, Hattel T, Justesen O, et al. 1982. Contact dermatitis in children. *Contact Dermatitis* 8:373-375.
- *Veien NK, Hattel T, Justesen O, et al. 1987. Oral challenge with nickel and cobalt in patients with positive patch tests to nickel and/or cobalt. *Acta Derm Venereol* 67:321-325.
- *Vyskocil A, Senft A, Viau C, et al. 1994a. Biochemical renal changes in workers exposed to soluble nickel compounds. *Hum Exp Toxicol* 13:257-261.
- *Vyskocil A, Viau C, Cizkova M. 1994b. Chronic nephrotoxicity of soluble nickel in rats. *Hum Exp Toxicol* 13:689-693.
- *Waalkes MP, Kasprzak KS, Ohshima M, et al. 1985. Protective effects of zinc acetate toward the toxicity of nickelous acetate in rats. *Toxicology* 34:29-41.
- *Wahlberg JE. 1976. Sensitization and testing of guinea pigs with nickel sulfate. *Dermatologica* 152-321.

8. REFERENCES

- *Waksvik H, Boysen M. 1982. Cytogenic analysis of lymphocytes from workers in a nickel refinery. *Mutat Res* 103:185-190.
- *Wall LM, Calnan CD. 1980. Occupational nickel dermatitis in the electroforming industry. *Contact Dermatitis* 6:414-420.
- *Warner JS. 1984. Occupation exposure to airborne nickel in producing and using primary nickel products. In: Sunderman FW Jr, Aitio A, Berlin A, eds. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer 419-437.
- *Watanabe C, Weiss B, Cox C, et al. 1990. Modification by nickel of instrumental thermoregulatory behavior in rats. *Fundam Appl Toxicol* 14:578-588.
- *Webber MD, Shames A. 1987. Heavy metal concentrations in Halton Region soils: An assessment for future municipal sludge utilization. *J Soil Sci* 67:893-903.
- *Wehner AP. 1986. 2. Health and environmental effects of aerosols: Biological effects and fate of inhaled man-made and natural aerosols in animal models. *J Aerosol Science* 17:305-315.
- *Wehner AP, Craig DK. 1972. Toxicology of inhaled NiO and CoO in Syrian golden hamsters. *Am Ind Hyg Assoc J* 33:147-155.
- *Wehner AP, Busch RH, Olson RJ, et al. 1975. Chronic inhalation of nickel oxide and cigarette smoke by hamsters. *Am Ind Hyg Assoc J* 36:801-809.
- *Wehner AP, Stuart BO, Sanders CL. 1979. Inhalation studies with Syrian golden hamsters. *Prog Exp Tumor Res* 24:177-198.
- *Weischer CH, Kordel W, Hochrainer D. 1980. Effects of NiCl₂ and NiO in Wistar rats after oral uptake and inhalation exposure, respectively. *Zent Bakteriell Mikrobiol Hyg (B)* 171:336-351.
- *Whanger PD. 1973. Effects of dietary nickel on enzyme activities and mineral content in rats. *Toxicol Appl Pharmacol* 25:323-331.
- *Wiersema JM, Wright L, Rogers B, et al. 1984. Human exposure to potentially toxic elements through ambient air in Texas. In: *Proceedings of the 77th Meeting of the Air Pollution Control Association*, San Francisco, CA, June 24-29, 1984.
- *Wilkinson DS, Wilkinson JD. 1989. Nickel allergy and hand eczema. In: Maibach HI, Menne T, eds. *Nickel and the skin: Immunology and toxicology*. Boca Raton, FL: CRC Press, Inc., 133-163.
- *Windholz M. 1983. *The Merck index*. 10th ed. Rahway, NJ: Merck and Co., 932-933, 1171.
- *Windom HL, Schropp SJ, Calder FD, et al. 1989. Natural trace metal concentrations in estuarine and coastal marine sediments of the southeastern United States. *Environmental Science and Technology* 23:314-320.

8. REFERENCES

- *Winger PV, Schultz DP, Johnson WW. 1990. Environmental contaminant concentrations in biota from the lower Savannah River, Georgia and South Carolina. *Arch Environ Contam Toxicol* 19:101-117.
- *Wang PK. 1988. Mutagenicity of heavy metals. *Bull Environ Contam Toxicol* 40:597-603.
- *Wang JL, Wu T-G. 1991. Speciation of airborne nickel in occupational exposure. *Environmental Science and Technology*, 25(2):306-309.
- *Wood JM. 1987. Biological processes in the cycling of elements between soil or sediments and the aqueous environment. *Hydrobiologia* 149:31-42.
- *Wulf HC. 1980. Sister chromatid exchanges in human lymphocytes exposed to nickel and lead. *Dan Med Bull* 27:40-42.
- *Yeats PA. 1988. The distribution of trace metals in ocean waters. *Sci Total Environ* 72:131-149.
- *Young TC, DePinto JV, Seger ES. 1982. Transport and fate of heavy metals in Onondaga Lake, New York, USA. *Bull Environ Contam Toxicol* 29:554-560.
- *Zaroogian GE, Johnson M. 1984. Nickel uptake and loss in the bivalves *Crassostrea virginica* and *Mytilus edulis*. *Arch Environ Contam Toxicol* 13:411-418.
- *Zatka VJ. 1990. Chemical speciation of nickel phases in industrial dusts: Method 90-05-03. Sheridan Park, Mississauga, Ontario, Canada: Into, Ltd., J. Roy Gordon Research Laboratory,
- *Zissu D, Cavelier C, De Ceaurriz J. 1987. Experimental sensitization of guinea pigs to nickel and patch testing with metal samples. *Food Chem Toxicol* 25:83-85.